

Pharmacotherapy (1) Questions on HTN

1. When measuring BP, readings:

- a. vary according to the time of day
- b. Become lower while doing moderate-vigorous physical activity
- c. Are similar for persons that have same age and weight
- d. Stay the same during the day

become higher
not lower

2. The most common symptom of high BP is:

- a. Fatigue
- b. SOB = shortness of breath
- c. Dizziness
- d. No noticeable symptoms

Silent Disease
cause the absence
of symptoms

3. Amlodipine is a calcium channel blocker & its common side effects include:

- a. LL edema and reflex tachycardia
- b. LL edema and bradycardia
- c. Headache and chest pain
- d. Headache and hyperglycemia

LL = lower limb

4. The preferred first line therapy of chronic hypertension in pregnancy is:

- a. Atenolol
- b. Enalaprilat
- c. Indapamide
- d. Methyldopa →

أتمه اللامبل إكأ إانه عنده SE مزيجية اللامبل
تو متاح إك إختيار ماله اللامبل أتمه برونو و لكن أتمه وأظن في
قد صار Labetalol

اللهم ارحم
زميلنا أيهم
واغفرله وعافه
وأعف عنه
واجمعه وأهله
والمسلمين
في الجنة

vasodilation

ACEI, 1st line for HTN

for type 1 DM

12. Mrs. Nawal, is a 32-year-old woman with a history of type I diabetes mellitus and hypertension. She takes lisinopril 10 mg/day and uses insulin. During her clinic visit, a pregnancy test is performed to follow up on a positive home pregnancy test the patient performed. The results confirm a pregnancy. Her BP today is 162/105 mm Hg, and HR is 80 beats/ minute. Which one of the following is the best therapy for her BP at this time? Justify your answer for each choice.

- a. Increase lisinopril to 20 mg/day and add hydrochlorothiazide.
- b. Discontinue lisinopril and begin methyldopa.
- c. Discontinue lisinopril and add candesartan.
- d. Discontinue lisinopril and add Labetalol

حديثة منغلط وسكري نوع اول
 تأسخ حاليه بـ ACEI وما خضعت
 إذا حامل كانت التبيبات صيني هو حامل
 دما رامة للزيادة مكان منغلطها 162/105 ونبضها 80 لكل دقيقة.
 شوح نحل شرح الاميارات إذا توافق عليهم أو لا.

والهبة الإجابة B والسبب انه Methyldopa للحوكمة والمنغلط الحامل
 وضاعت الة كورة خيار D وهو صحيح برهون وصحت صحتك امين اشرفي case غنا- يكون الجواب فقط D مثل إنه المديونة عندها Taachycardia في حوسه نتاج

Labetalol (جوسه صبي SE مناعه الحامل للمرأة الحامل في متى لزمانى اى يذو labetalol نضارة لثة الطفلة من أهمية SE ، كلاهما آمنين للحامل .
 β-blocker ومنتار D